


# SAP BW MOCK TEST

<http://www.tutorialspoint.com>

Copyright © tutorialspoint.com

This section presents you various set of Mock Tests related to **SAP BW**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



## SAP BW MOCK TEST I

**Q 1 - Which statement(s) is true about Multiproviders?**

- A - Virtual Infoprovider in SAP BW stores the data.
- B - Multiprovider consists of InfoCubes, info objects and info sets
- C - More than one info provider is required to build a Multiprovider
- D - It is similar to joining the data tables

**Q 2 - To use special characters in BW, which of the following transaction can be used?**

- A - RSA1
- B - RSA15
- C - RSKC
- D - RRBS

**Q 3 - In SAP BW, which of the following is incorrect about flat file upload?**

- A - Table to store flat file upload parameters is RSADMINC
- B - You can upload csv files
- C - To set parameters for flat file load, use transaction RSCUSTV7
- D - All of the above

**Q 4 - When you create a dimension as line item dimension in an infocube, ID's and SID's are same in this case?**

- A - True

B - False

**Q 5 - Which of the following transaction can be used to adjust an info set after making changes**

A - RSASET

B - RSKC

C - RRBS

D - none of the above

**Q 6 - Which of the following transactions can be used for maintaining data sources in BW?**

A - RSA1

B - RSA3

C - RSA5

D - RSA6

**Q 7 - What do you understand by data integrity in database?**

A - Eliminating incorrect data

B - Eliminating duplicate data

C - Eliminating errors in data transformation

D - All of the above

**Q 8 - Which of the following component in BW architecture can be used for detailed storage of data and used for BEx reporting?**

A - PSA

B - Operational Data Store

C - InfoCubes

D - Infoarea

**Q 9 - Which of the following is/are incorrect about Infocubes?**

A - InfoCubes doesn't contain a key.

B - InfoCubes contain flat file structure.

C - An Infocube can contain data from two or more Operational data stores.

D - An Infocube normally contains detailed level data.

**Q 10 - Which of the following is used for dividing table on row or column based**

**and is used for report performance enhancement?**

- A - Partitioning
- B - Reconstruction
- C - Indexing
- D - Roll up

**Q 11 - In an Operational Data store, how many number of maximum keys an object can have?**

- A - 8
- B - 16
- C - 24
- D - 32

**Q 12 - When you upload the same data again in an Operational data store in overwrite mode, it creates new entries in change log.**

- A - True
- B - False

## ANSWER SHEET

Question Number	Answer Key
1	B
2	C
3	C
4	A
5	A
6	D
7	A
8	B
9	B
10	D
11	A
12	B